

Avon Township Driveway Permits

General: Any resident who plans to modify, change or add a driveway to his/her property requires an Avon Township Driveway permit. Driveway permits are required to ensure that Township roads are not damaged and that there is not public safety hazard created by the driveway. The permit costs \$50.00. There is a \$200.00 damage deposit that is collected when the permit is issued; it is refunded if no damage is done to the Town road during construction.

Driveway Standards – *Driveways in Avon Township should meet the following standards (Resolution 08-06-14):*

1. All accesses shall be aligned to be straight and perpendicular to the centerline of the road within the limits of the Township right-of-way.
2. All access will be aligned with street or entrances on the opposing side of the roadway if possible.
3. Avon Township will determine if culverts and aprons are required, and the size/length that is required.
4. Culverts will be a minimum of 15 inches in diameter and made of steel.
5. Aprons will accompany culverts and also be made of steel.
6. It is not permitted to remove the short heel that extends from the Township road into the driveway without approval by the Town Board.
7. Separation distance from other accesses is at the discretion of Avon Township. Generally, only one access per 40 acres or smaller parcel is granted unless the resident can show a specific need for the additional driveway. All new accesses should be a minimum of 125 feet from any other driveway access or intersection.
8. Driveways will conform to the standards of Stearns County (Highway Department Access and Right of Way Width Guidelines) including:
 - a. Residential access surfacing width shall be a minimum of 16 feet and/or a maximum of 24 feet;
 - b. Commercial and industrial access surfacing shall be 30 feet in width;
 - c. Field accesses shall be a minimum of 16 feet in width;
 - d. Entrance/access widths of up to a maximum of 40 feet will be considered under special circumstances (such as high volumes of semi-tractor trailers, narrow adjacent roadways, etc.); and

- e. Street accesses shall be a minimum of 30 feet in width and shall be paved within the limits of the Township right-of-way or graded to drain away from the Township roadway.

Non-Conforming Requests: Supervisors make the final decision about any driveway permit that is issued in the township. If a requested driveway is more than 40 feet wide , it requires a a variance hearing for approval. A request for a driveway between 24 – 40 feet will be reviewed by the Planning Commission which will forward a recommendation to the Supervisors for approval or not. The Supervisors makes the final decision about any driveway permit that is issued in the Township.

Driveway Inspector – The Avon Township maintenance worker is responsible for documenting the road condition before and after the work and determining if a culvert and aprons are required.